

Robust variety selection for winter harvest

Year-round gardening with ReinSaat

Vegetable, Herb, and Flower seeds from Biodynamic
and Organic Cultivation



CITY FARM
AUGARTEN



On our website
www.reinsaat.at
you will also find this brochure as a
PDF with hyperlinks.

By clicking on the article number or the
variety name, you will be taken directly to
more detailed information about the respective
product, including the option to order online.
You can reach your destination even faster by
scanning the QR code below:





Snow Food

Year-round gardening with ReinSaat

While the seasons are clearly noticeable in domestic kitchen gardens, the food trade remains completely unaffected by them: in supermarkets, the range of vegetables remains virtually the same throughout the year. But this apparent convenience comes at a price – both ecologically and economically. There is another way.

The diverse, open-pollinated **ReinSaat** range creates the best conditions for year-round self-sufficiency. Our special selection of winter-hardy species and varieties, marked with the **snowflake symbol**, is ideal for home and market gardeners* who want to enjoy and sell fresh vegetables even in the cold season.

In fruitful cooperation with Austrian year-round gardener **DI Wolfgang Palme** and his City Farm Augarten, a comprehensive reference work for winter gardening has been created in recent years.



PHOTO: CITY FARM AUGARTEN

His valuable experience in four-season cultivation and our expertise in biodynamic breeding complement each other perfectly.

As a general rule, a decisive factor for successful winter cultivation is the right **timing** for sowing and planting. Some crops remain in the beds all year round and are harvested over the winter, while others can be sown late and harvested after a few weeks.

Depending on requirements, there are two groups: Delicate vegetables such as lettuce, herbs, radishes, and kohlrabi need protection from moisture to prevent fungal infestation and rot — for example, through cold frames, raised bed covers, or cold greenhouses. Classic winter vegetables such as spinach, various cabbage varieties, root vegetables, onions, and chicory are more robust. They can withstand cold, moisture, and darkness even without protection and provide a fresh harvest in the middle of winter.


Find all the details you need to know about successful winter harvesting in this list!

Article	Variety	Sowing	Planting	Harvest
Peas				
Er 10	Markerbse Wunder von Kelvedon	September – October January	— —	WG November – December WG March
Er 11	Schalerbse Kleine Rheinländerin	September – October January	— —	WG November – December WG March
Er 12	Schalerbse Blauwschokker	September – October January	— —	WG November – December WG March
Er 18	Schalerbse Douce Provence	September – October January	— —	WG November – December WG March
Er 21	Zuckererbse Norli	August – September January – February	— —	WG November – Dezember WG March – April


Explanation of abbreviations

WG Protected winter cultivation (greenhouse, polytunnel, raised bed cover, cold frame, fleece cover)

WF Outdoor winter cultivation without additional protective measures



Kale




Savory Cabbage

Article	Variety	Sowing	Planting	Harvest
Brassica				
Cabbage				
Ko 90	Weißkraut Holt	April – May	End of Mai – Mid-July	WF September – November
Ko 47	Rotkraut Tête Noire 3	April – May	May – June	WF August – November
Ko 48	Kalibos	Beginning – End of May	Mid-June – Mid-July	WF November – December
Savoy Cabbage				
Ko 15	Savoy Cabbage Vorbote 3	Mid-April – Mid-May	End of June – Beginning of July	WF November – February
Ko 16	Langedijska	Mid-April – Mid-May	End of June – Beginning of July	WF November – February
Ko 40	Wirsing Winterfürst 2	Mid-April – Mid-May	End of June – Beginning of July	WF November – February
Ko 43	Wirsing Violaceo di Verona	Mid-April – Mid-May	End of June – Beginning of July	WF November – February
Ko 106	Wirsing Violaceo di Verona/ Moretta Sanzeno	Mid-April – Mid-May	End of June – Beginning of July	WF November – February
Ko 44	Wirsing Vertus 3	Mid-April – Mid-May	End of June – Beginning of July	WF November – February
Ko 107	Butterkohl Bloemendaalse Gele	Mid-April – Mid-May	End of June – Beginning of July	WF November – February
Brussels Sprouts				
Ko 55	Rosenkohl Groninger	Mid – End of April	May – Beginning of June	WF November – March
Cauliflower				
Ko 30	Neckarperle	Mid-June – End of July	Beginning – End of August	WF November – December
Ko 31	Odysseus	Mid-June – End of July	Beginning – End of August	WF November – December
Ko 35	Tabiro	Mid-June – End of July	Beginning – End of August	WF November – December
Ko 57	Di Sicilia violetto	Mid-June – End of July	Beginning – End of August	WF November – December
Ko 95	Verde di Macerata	Mid-June – End of July	Beginning – End of August	WF November – December
Broccoli				
Ko 51	Ramoso calabrese	Beginning – Mid-July	Beginning – Mid-August	WF November – December
Ko 49	Limba	Beginning – Mid-July	Beginning – Mid-August	WF November – December
Kale/Cut Cabbage				
Ko 24	Halbhoher, grüner Krauser	May	June – Beginning of August	WF November – March
Ko 28	Westlandse Winter	May	June – Beginning of August	WF November – March
Ko 93	Rosco	Beginning – End of May	Mid-June – Beginning of July	WF November – March
Ko 54	Nero di Toscana	Beginning – End of May	Mid-June – Beginning of July	WF November – March
Ko 103	Russian Frills	Beg. of August – Mid-September Mid – End of September	– End of September – Mid-Oktober	WF Mid-October – Mid-December WG January – March
Ko 104	Winter Red	Beg. of August – Mid-September Mid – End of September	– End of September – Mid-Oktober	WF Mid-October – Mid-December WG January – March

WG Protected winter cultivation (greenhouse, polytunnel, raised bed cover, cold frame, fleece cover)

WF Outdoor winter cultivation without additional protective measures



Article	Variety	Sowing	Planting	Harvest
Kohlrabi				
Ko 18	Noriko	End of July	Mid – End of August	WF November – January
Ko 26	Lanro	End of July	Mid – End of August	WF November – January
Ko 19	Superschmelz	Beginning – Mid-May	Mid-June – Beginning of July	WF November – March
Ko 17	Azur Star	End of July	Mid – End of August	WF November – January
Ko 21	Blaro	End of July	Mid – End of August	WF November – January
Ko 88	RS-Ko-02.23 (Rocco)	End of July	Mid – End of August	WF November – January
Chinese Cabbage				
Ko 29	Atsuko	Ende of July – End of August	–	WF/WG October – December
Ko 38	Kaito	Ende of July – End of August	–	WF/WG October – December
Ko 91	Akiko	Ende of July – End of August	–	WF/WG October – December
Ko 25	Granaat	Ende of July – End of August	–	WF/WG October – December
Ko 92	Hiromi	Ende of July – End of August	–	WF/WG October – December
Ko 37	Fuyumi	Mid-July – Mid-August	–	WF/WG November – December
Garden Cress				
Kr 1	Einfach Gartenkresse	September – October Beg. November – Beg. December	– –	WG November – December WG January – March
Kr 2	Großblättrige Gartenkresse	Ende September – Mid-October Beginning of November	– –	WG November – December WG February – March
Swiss Chard				
Ma 17	Jessica	May July – Beginning of August Mid-September	June – July Beginning of August Mid-October	WF July – November WG December – March WG November – March
Ma 14	Verde a Costa Bianca 3	May End of July – Beginning of August Mid-September	June Mid – End of August Mid-October	WF July – Nov/WG Dec – March WF/WG November – March WG February – March
Ma 20	Magenta Sunset	May End of July – Beginning of August Mid-September	June Mid – End of August Mid-October	WF July – Nov/WG Dec – March WF/WG November – March WG February – March
CV 121	Feurio	May End of July – Beginning of August Mid-September	June Mid – End of August Mid-October	WF July – Nov/WG Dec – March WF/WG November – March WG February – March
Ma 165	RS-Ma-02.23 (Five Colours Violet)	May End of July – Beginning of August Mid-September	June Mid – End of August Mid-October	WF July – Nov/WG Dec – March WF/WG November – March WG February – March
Ma 162	RS-Ma-01.23 (Five Colours Yellow)	May End of July – Beginning of August Mid-September	June Mid – End of August Mid-October	WF July – Nov/WG Dec – March WF/WG November – March WG February – March

Article	Variety	Sowing	Planting	Harvest
Swiss Chard				
Ma 16	Mangold Mix Iris	May End of July – Beginning of August Mid-September	June Mid – End of August Mid-October	WF July – Nov/WG Dec – March WF/WG November – March WG February – March
Turnips				
Ko 80	Di Milano a colletto viola	August – September	–	WF November – December
Ko 81	Snowball	August – September	–	WF November – December
Ko 82	Jaune boule d'or	August – September	–	WF November – December
Ko 83	Platte Witte Mei	August – September	–	WF November – December
Ko 84	Ludowski	August – September	–	WF November – December
Ko 85	Blanc globe à collet violet	August – September	–	WF November – December
Carrots				
Mö 9	Nantaise 2/Milan	Beginning – Mid-August Beginning – Mid-September	– –	WF November – December WG November – December
Mö 23	Olina	Beginning – Mid-August Beginning – Mid-September	– –	WF November – December WG November – December
Mö 24	Mirella	Beginning – Mid-August Beginning – Mid-September	– –	WF November – December WG November – December
Mö 26	Melina	Beginning – Mid-August Beginning – Mid-September	– –	WF November – December WG November – December
Mö 25	Berlikumer 2 Selection ReinSaat	Beginning – Mid-August Beginning – Mid-September	– –	WF November – December WG November – December
Mö 12	Robila	Beginning – Mid-August Beginning – Mid-September	– –	WF November – December WG November – December
Mö 28	Solveig	Beginning – Mid-August Beginning – Mid-September	– –	WF November – December WG November – December
Mö 30	Maruschka	Beginning – Mid-August Beginning – Mid-September	– –	WF November – December WG November – December
Mö 33	Karotten Karussell	Beginning – Mid-August Beginning – Mid-September	– –	WF November – December WG November – December
Leek				
Po 10	Blaugrüner Winter	February – Beginning of March	Beginning – Mid-May	WF November – March
Po 11	Herbstriesen 2	February – Beginning of March	Beginning – Mid-May	WF November – March
Po 13	Blaugrüner Herbst	February – Beginning of March	Beginning – Mid-May	WF November – March
Po 14	Atlanta	February – Beginning of March	Beginning – Mid-May	WF November – March
Parsnips				
Pa 92	Schleswiger Schnee	Beginning – Mid-May	–	WF October – March
Pa 93	Aspra	Beginning – Mid-May	–	WF October – March
Pa 95	Stella	Beginning – Mid-May	–	WF October – March
Root Parsley				
Pe 21	Kinsky	Mid-April – End of April	–	WF September – December
Winter Radish				
Re 30	Wiener Runder Kohlschwarzer	July – August	–	WF September – November
Re 31	Ostergruß Rosa 2	July – August	–	WF September – November






PHOTO: CITY FARM AUGARTEN

Article	Variety	Sowing	Planting	Harvest
Radish				
Ra 10	Eiszapfen	End of September – Mid-October Mid – Ende of September Beginning – Mid-January	— — —	WG November – December WF October – December WG March
Ra 13	Rudi	End of September – Mid-October Mid – Ende of September Beginning – Mid-January	— — —	WG November – December WF October – December WG March
Ra 14	Sora	End of September – Mid-October Mid – Ende of September Beginning – Mid-January	— — —	WG November – December WF October – December WG March
Ra 16	French Breakfast 3	End of September – Mid-October Mid – Ende of September Beginning – Mid-January	— — —	WG November – December WF October – December WG March
Ra 19	Radieschen Karussell	End of September – Mid-October Mid – Ende of September Beginning – Mid-January	— — —	WG November – December WF October – December WG March



Market gardeners take note! Year-round food supply from the region


A year-round, comprehensive supply of fresh, regional vegetables is a key contribution to sustainable, resource-efficient food production – and a sustainable alternative to energy- and cost-intensive imports.

With robust vegetable varieties that are specially suited for cultivation and harvesting in the winter months, market gardeners, direct marketers and vegetable box companies can attractively expand their range during the cold season, stand out from the competition and strengthen customer loyalty.

In addition to classic storage vegetables, fresh, vitamin-rich vegetables such as Asian leafy greens, wasabi rocket, colourful salad mixes, turnips, winter peas, winter purslane and many other specialities enrich your range.

Take the plunge into year-round gardening and offer your customers tasty and nutritious fresh vegetables even in the off-season with Reinsaat – your partner for open-pollinated organic seeds specifically for winter harvesting.





Article	Variety	Sowing	Planting	Harvest
Beetroots				
Rü 10	Rote Kugel 2	Beginning – Mid-August	–	WF November – December
Rü 12	Forono	Beginning – Mid-August	–	WF November – December
Rü 14	Tonda di Chioggia	Beginning – Mid-August	–	WF November – December
Rü 17	Schneewittchen	Beginning – Mid-August	–	WF November – December
Rü 18	Wintersonne	Beginning – Mid-August	–	WF November – December
Rü 21	Bunte Bete Mischung	Beginning – Mid-August	–	WF November – December
Leafy Greens				
Butterhead Lettuce				
Sa 117	Murielle	Beginning of August End of August End of Sep – Beginning of Oct	End of August End of September Mid-October – Beginning of Nov	WF/WG November – January WG November – January WG February – March
Sa 8	Larissa	Beginning of August End of August End of Sep – Beginning of Oct	End of August End of September Mid-October – Beginning of Nov	WF/WG November – January WG November – January WG February – March
Sa 7	Lucinde	Beginning of August End of August End of Sep – Beginning of Oct	End of August End of September Mid-October – Beginning of Nov	WF/WG November – January WG November – January WG February – March
Sa 95	Skipper	Beginning of August End of August End of Sep – Beginning of Oct	End of August End of September Mid-October – Beginning of Nov	WF/WG November – January WG November – January WG February – March
Loose Leaf Lettuce				
Sa 28	Till	Mid – End of August Mid – End of August Beginning of September	Mid – End of September Beginning – Mid-September Mid-October	WG November – December WF November – December WG February – March
Sa 29	Lattughino riccio Lollo	Mid – End of August Mid – End of August Beginning of September	Mid – End of September Beginning – Mid-September Mid-October	WG November – December WF November – December WG February – March
Sa 31	Lollo rossa	Mid – End of August Mid – End of August Beginning of September	Mid – End of September Beginning – Mid-September Mid-October	WG November – December WF November – December WG February – March
Sa 32	Lollo bionda	Mid – End of August Mid – End of August Beginning of September	Mid – End of September Beginning – Mid-September Mid-October	WG November – December WF November – December WG February – March
Sa 33	Catalogna	Mid – End of August Mid – End of August Beginning of September	Mid – End of September Beginning – Mid-September Mid-October	WG November – December WF November – December WG February – March
Sa 35	Venezianer	Mid – End of August Mid – End of August Beginning of September	Mid – End of September Beginning – Mid-September Mid-October	WG November – December WF November – December WG February – March
Sa 37	Red Salad Bowl	Mid – End of August Mid – End of August Beginning of September	Mid – End of September Beginning – Mid-September Mid-October	WG November – December WF November – December WG February – March



PHOTO: CITY FARM AUGARTEN

Article	Variety	Sowing	Planting	Harvest
Loose Leaf Lettuce				
Sa 68	Piro	Mid – End of August Mid – End of August Beginning of September	Mid – End of September Beginning – Mid-September Mid-October	WG November – December WF November – December WG February – March
Sa 96	Rubinette	Mid – End of August Mid – End of August Beginning of September	Mid – End of September Beginning – Mid-September Mid-October	WG November – December WF November – December WG February – March
Sa 122	Salatmischung Misticana	Mid – End of August Mid – End of August Beginning of September	Mid – End of September Beginning – Mid-September Mid-October	WG November – December WF November – December WG February – March
Sa 125	Salatmischung Mesclun	Mid – End of August Mid – End of August Beginning of September	Mid – End of September Beginning – Mid-September Mid-October	WG November – December WF November – December WG February – March
Romaine Lettuce/Cos Lettuce				
Sa 25	Lorraine	Beginning of August End of August End of Sep – Beginning of Oct	End of August End of September Mid-October – Beginning of Nov	WF/WG November – January WG November – January WG February – March
Sa 58	Rosha	Beginning of August End of August End of Sep – Beginning of Oct	End of August End of September Mid-October – Beginning of Nov	WF/WG November – January WG November – January WG February – March
Sa 85	Forellenschluß	Beginning of August End of August End of Sep – Beginning of Oct	End of August End of September Mid-October – Beginning of Nov	WF/WG November – January WG November – January WG February – March
Sa 87	Little Gem	Beginning of August End of August End of Sep – Beginning of Oct	End of August End of September Mid-October – Beginning of Nov	WF/WG November – January WG November – January WG February – March
Sa 88	Romana Larga verde	Beginning of August End of August End of Sep – Beginning of Oct	End of August End of September Mid-October – Beginning of Nov	WF/WG November – January WG November – January WG February – March
Iceberg Lettuce/Batavia Lettuce				
Sa 20	Grazer Krauthäuptel	Beginning of August End of August End of Sep – Beginning of Oct	End of August End of September Mid-October – Beginning of Nov	WF/WG November – January WG November – January WG February – March
Sa 24	Maravilla de Verano	Beginning of August End of August End of Sep – Beginning of Oct	End of August End of September Mid-October – Beginning of Nov	WF/WG November – January WG November – January WG February – March
Sa 109	Saladin	Beginning of August End of August End of Sep – Beginning of Oct	End of August End of September Mid-October – Beginning of Nov	WF/WG November – January WG November – January WG February – March

Explanation of abbreviations


WG Protected winter cultivation (greenhouse, polytunnel, raised bed cover, cold frame, fleece cover)**WF** Outdoor winter cultivation without additional protective measures



Article	Variety	Sowing	Planting	Harvest
Endive Lettuce				
Sa 38	Bubikopf 2	Mid – End of July	Mid – End of August	WF October – December
Sa 41	Wallone	Mid – End of July	Mid – End of August	WF October – December
Sa 71	Diva	Mid – End of July	Mid – End of August	WF October – December
Sa 73	Nuance	Mid – End of July	Mid – End of August	WF October – December
Sa 103	Aurora	Mid – End of July	Mid – End of August	WF October – December
Chicory Lettuce/Radicchio				
Sa 44	Grumolo verde	Beginning of July – Beg. of Sep	–	WF November – March
Sa 142	Grumolo rosso	Beginning of July – Beg. of Sep	–	WF November – March
Sa 92	Etardo	Mid-May	–	WG December – March
Sa 70	Zuckerhut	Mid-May – End of June	End of June – End of July	WF November – December
Sa 77	Catalogna del Veneto	Mid – End of July	Mid – End of August	WF November – December
Sa 102	Italico a Costa Rossa	Mid – End of July	Mid – End of August	WF November – December
Sa 81	Treviso 206 TT	Beginning – Mid-July	Beginning of August	WF November – December
Sa 82	Treviso Pintone TT	Beginning – Mid-July	Beginning of August	WF November – December
Sa 83	Castelfranco Fenice TT	Beginning – Mid-July	Beginning – Mid-August	WF/WG November – December
Sa 93	Variegata di Lusia	Beginning – Mid-July	Beginning of August	WF November – December
Sa 136	Rossa di Chioggia/Etna	Beginning – Mid-July	Beginning of August	WF November – December
Sa 137	Rossa di Verona/Pasqualino	Mid – End of July	Mid-August	WF October – November
Sa 138	Rossa di Verona/Romeo	Beginning – Mid-July	Beginning of August	WF November – December
Sa 139	Rossa di Treviso/Lava	Beginning – Mid-July	Beginning of August	WF November – December
Sa 140	Rossa di Treviso precoce/Pacifico	Beginning – Mid-July End of July – Mid-August	Beginning of August Mid-September	WF November – December WF December, WG Dec. – February
Sa 141	Rossa di Treviso 2/Botteniga	Beginning – Mid-July	Beginning of August	WF November – December
Sa 145	Rossa di Chioggia/Vesuvio	Beginning – Mid-July	Beginning of August	WF November – December

WG Protected winter cultivation (greenhouse, polytunnel, raised bed cover, cold frame, fleece cover)

WF Outdoor winter cultivation without additional protective measures



PHOTOS: CITY FARM AUGARTEN

Article	Variety	Sowing	Planting	Harvest
Lamb's Lettuce				
Sa 49	Verte à Coeur plein 2	Mid-August – Beginning of Sep End of September Beginning Sep – Beg. Oct Beginning of October Beginning of January	— — Beg. October – Mid-November — —	WF End of October – Mid-Nov WF Beginning – Mid-March WF End of October – Mid-Dec WG February WG Mid March
Sa 52	Vit	Mid-August – Beginning of Sep End of September Beginning Sep – Beg. Oct Beginning of October Beginning of January	— — Beg. October – Mid-November — —	WF End of October – Mid-Nov WF Beginning – Mid-March WF End of October – Mid-Dec WG February WG Mid March



Attention home gardeners! Your garden doesn't need a winter break!

Winter in the home garden – this is the lost season in the vegetable garden, because we simply do not expect anything from it. Winter is understandably not the main growing season, but it is harvest time. And we seem to have forgotten that.

After 15 years of intensive applied research and practical gardening education at **City Farm Augarten**, DI Wolfgang Palme and his team can say that many types of vegetables are much more frost-resistant than is officially acknowledged.

The following should be noted for a successful winter harvest:

If the crop freezes during cold winter nights, the leaf rosettes lie flat and glassy on the ground, but after the leaves slowly thaw (when the sun shines during the day), they are fresh and undamaged again. However, frozen leaves must not be touched or harvested. This is because

ice crystals destroy the delicate leaf tissue, resulting in black discolouration and »mushiness«.

In general, it is important to ensure adequate ventilation in protected areas to prevent fungal infections. Ventilation and moderate watering are much more important in winter than heating!

ReinSaat and the garden education association City Farm Augarten make year-round gardening child's play. Especially in the big city – but not only there – it is essential to teach young and old alike the joy of gardening, practical knowledge about soil and plants, and the enjoyment of a variety of vegetables. For our children in particular, this is preparation for life that cannot be taught in the classroom. In the diversity garden of City Farm Augarten, this happens every day with a great deal of enthusiasm and commitment – in summer and winter alike.





Tatsoi



Bok Choy

PHOTOS: REINSAAT

Article	Variety	Sowing	Planting	Harvest
Rocket				
Sa 54	Salatruke/Rucola <i>cultivata</i>	End of August – Mid-September Mid-September – Mid-October End of October	Mid – End of September Beginning of Oct – Beg. of Nov Mid-November	WF November WG November – March WG January – March
Sa 133	Salatruke Esmee	End of August – Mid-September Mid-September – Mid-October End of October	Mid – End of September Beginning of Oct – Beg. of Nov Mid-November	WF November WG November – March WG January – March
Sa 56	Wilde Rauke/Rucola <i>selvatica</i>	End of August – Mid-September Mid-September – Mid-October End of October	Mid – End of September Beginning of Oct – Beg. of Nov Mid-November	WF November WG November – March WG January – March
Sa 132	Wasabi-Rauke	End of August – Mid-September Mid-September – Mid-October End of October	Mid – End of September Beginning of Oct – Beg. of Nov Mid-November	WF November WG November – March WG January – March
Other Greens				
Sa 90	Winterpostelein/Winterportulak	August – September	September – October	WF/WG November – March
Sa 91	Winterkresse	August	–	WF/WG End of Oct – End of March
Sa 123	Hirschhornwegerich	Beginning of September	End of September	WG End of Oct – End of March
CV 25	Spargelsalat Chinesische Keule	Beginning of August	End of August	WF/WG November – January
Asian Greens				
Ko 65	Namenia	End of September Beginning – End of October Beginning of November	Beginning of October Mid-October – Mid-November –	WF Beginning – End of November WG November – March WG February – March
Rü 20	Bulls Blood	Mid-March – End of August Beginning – End of September	– –	WF Beginning of May – End of Oct WG End of October – Mid March
Asian Leafy Vegetables				
Ko 59	Mibuna	End of September Beginning – End of October Beginning of November	Beginning of October Mid-October – Mid-November –	WF Beginning – End of November WG November – March WG February – March
Ko 60	Pak Choi	End of July – Beginning of August	–	WF End of Sep – End of Oct
Ko 61	Purple Wave	End of September Beginning – End of October Beginning of November	Beginning of October Mid-October – Mid-November –	WF Beginning – End of November WG November – March WG February – March
Ko 62	Rouge metis	End of September Beginning – End of October Beginning of November	Beginning of October Mid-October – Mid-November –	WF Beginning – End of November WG November – March WG February – March
Ko 63	Green Wave	End of September Beginning – End of October Beginning of November	Beginning of October Mid-October – Mid-November –	WF Beginning – End of November WG November – March WG February – March

Explanation of abbreviations

WG Protected winter cultivation (greenhouse, polytunnel, raised bed cover, cold frame, fleece cover)

WF Outdoor winter cultivation without additional protective measures



Article	Variety	Sowing	Planting	Harvest
Asian Leafy Vegetables				
Ko 64	Mizuna/Japanese Mustard	End of September Beginning – End of October Beginning of November	Beginning of October Mid-October – Mid-November —	WF Beginning – End of November WG November – March WG February – March
Ko 66	Grün im Schnee	End of September Beginning – End of October Beginning of November	Beginning of October Mid-October – Mid-November —	WF Beginning – End of November WG November – March WG February – March
Ko 67	Red Giant	End of September Beginning – End of October Beginning of November	Beginning of October Mid-October – Mid-November —	WF Beginning – End of November WG November – March WG February – March
Ko 68	Tatsoi	Beginning of September End of August Beginning of October Beginning of December	Beginning of October End of September Beginning – Mid-November January	WG November – December WF November – March WG February – March WF February – March
Ko 69	Oriental Mix	Beginning – End of October End of Sep – Beginning of Oct November January Beginning – Mid-February	— — — — —	WG November – March WF November – December WG February – March WG February – March WF March
Ko 70	Garnet Giant	End of September Beginning – End of October Beginning of November	Beginning of October Mid-October – Mid-November —	WF Beginning – End of November WG November – March WG February – March
Ko 71	Golden Frills	End of September Beginning – End of October Beginning of November	Beginning of October Mid-October – Mid-November —	WF Beginning – End of November WG November – March WG February – March
Ko 72	Golden Streak	End of September Beginning – End of October Beginning of November	Beginning of October Mid-October – Mid-November —	WF Beginning – End of November WG November – March WG February – March
Ko 74	Wasabino	End of September Beginning – End of October Beginning of November	Beginning of October Mid-October – Mid-November —	WF Beginning – End of November WG November – March WG February – March
Ko 76	Bok Choy	End of July – Beginning of August	—	WF End of Sep – End of Oct
Ko 97	Purple Mizuna	End of September Beginning – End of October Beginning of November	Beginning of October Mid-October – Mid-November —	WF Beginning – End of November WG November – March WG February – March
Ko 100	Golden Heart Winter Choy	End of July – Mid-August Mid-August – End of September	— September – October	WF Mid-Sep – End of Oct WF November – March
Ko 102	Tiny Bok Choi	Mid-September – Mid-October Mid-October – Mid-November	— Mid-November – End of November	WF End of October – Mid-December WG December – March

Explanation of abbreviations

WG Protected winter cultivation (greenhouse, polytunnel, raised bed cover, cold frame, fleece cover)

WF Outdoor winter cultivation without additional protective measures



PHOTO: CITY FARM AUGARTEN

Article	Variety	Sowing	Planting	Harvest
Spinach				
Sp 10	Matador	September – Beginning of October End of August – End of September Mid – End of October	— — —	WG November – March WF November – March WG February – March
Sp 11	Winterriesen Stamm Verdil	Beginning – End of August Beginning of September Beginning – Mid-October	Beginning – Mid-September End of September Beginning of November	WF November – March WF/WG November – March WG February – March
Sp 12	Butterflay	Beginning – End of August Beginning of September Beginning – Mid-October	Beginning – Mid-September End of September Beginning of November	WF November – March WF/WG November – March WG February – March
Bunching/Spring Onions				
Zw 21	Ishikura Long White	Beginning – End of March Beginning – End of June	Beginning – End of April Beginning – End of July	WF August – March WG November – March
Zw 20	Winterheckenzwiebel Cosmo	Beginning – End of March Beginning – End of June	Beginning – End of April Beginning – End of July	WF August – March WG November – March
Autumn Onion Sets				
Zw 58	Herbststeckzwiebel Shakespeare	Mid-September – Mid-October	—	Mid-June – End of July
Garden Parsley				
Pe 10	Einfache Schnitt 3	Mid-July – Beginning of August End of August – Beginning of Sep	— —	WF November – December WG November – March
Pe 11	Gigante d'Italia	Mid-July – Beginning of August End of August – Beginning of Sep	— —	WF November – December WG November – March
Pe 13	Grüne Perle	Mid-July – Beginning of August End of August – Beginning of Sep	— —	WF November – December WG November – March
Pe 12	Mooskrause 2	Mid-July – Beginning of August End of August – Beginning of Sep	— —	WF November – December WG November – March
Culinary and Aromatic Herbs				
Kr 38	Thai Coriander	End of July – End of August Beginning – Mid-September	— —	WF/WG November – March WG February – March
Kr 21	Coriander, kleinfrüchtig	End of July – End of August Beginning – Mid-September	— —	WF/WG November – March WG February – March
Kr 20	Chervil Magnus	End of July	End of August	WF/WG November – March
Kr 52	Red-vined dock	Mid – End of August	Mid-September	WG November – March
B 97	Garland Chrysanthemum	Mid – End of September	Beginning – Mid-October	WF November

Explanation of abbreviations

WG Protected winter cultivation (greenhouse, polytunnel, raised bed cover, cold frame, fleece cover)**WF** Outdoor winter cultivation without additional protective measures



Fresh from the cold greenhouse
straight to the table –

Asian leafy greens

need protection from rain and cool
temperatures in order to thrive.

This edible carpet was direct-sown into an
unheated greenhouse in early October
and was ready for harvest
from mid-November
onwards.

Ko 69 Oriental Mix

page 13



www.reinsaat.at



ReinSaat®GmbH
3572 St. Leonhard am Hornerwald 69
Austria
Phone: +43 (0) 2987–2347
Fax: +43 (0) 2987–2347–4
E-Mail: office@reinsaat.at
Website: www.reinsaat.at

Wide selection of organic seeds,
GMO-free & open-pollinated

Opening hours:

Gardening season (May to October):
Monday to Thursday 8am – 4pm
Friday 8am – 3pm
Sales season (November to April):
Monday to Thursday 8am – 5pm
Friday 8am – 4pm